WEST Search History

DATE: Thursday, December 11, 2003

Set Name side by side	Query	Hit Count	Set Name result set
	DB=USPT; PLUR=YES; OP=ADJ		
L8	L7 and l6	8	L8
L7	(intranet$ or (virtual$ adj (network$ or lan)) or (privat$ adj (network$ or lan))) same server same (authoriz$ or authoris$ or secur$ or authentic$ or confidential$) same notif$	18	L7
L6	(713/201 OR 713/200 OR 709/229 OR 709/225 OR 709/217).CCLS.	4377	L6
L5	L4 same notif$	12	L5
L4	(intranet$ or (virtual$ adj (network$ or lan)) or (privat$ adj (network$ or lan))) same server same (authoriz$ or authoris$ or secur$)	712	L4
L3	(intranet$ or (virtual$ adj (network$ or lan)) or (privat$ adj (network$ or lan))) same server same (upload$ or download$ or (down load$)) same notif$	4	L3
L2	intralink$ or (intra link$)	53	L2
L1	intraloan or (intra loan)	0	L1

END OF SEARCH HISTORY

WEST

☐ | Generate Collection | Print

L5: Entry 9 of 12   File: USPT   Apr 24, 2001

DOCUMENT-IDENTIFIER: US 6223177 B1
** See image for Certificate of Correction **
TITLE: Network based groupware system

Detailed Description Text (19):
If a prospective group member is not an existing intranet user, the
administration sub-system determines whether the primary user has
the authority to add external users (210). If the primary user does
have authority to add external users, the server creates a personal
workspace for that user (220) and notifies the external user of the
existence of the workgroup (230). Preferably, the notification is
done by means of E-mail, although other means, such as facsimile or
pager, may also be used. Once authorized, an external user can
contact the server via the internet and the external user has
access to the same operational functionality as an
intranet-connected user.

●

WEST

☐ | Generate Collection | | Print |

L5: Entry 8 of 12   File: USPT   May 7, 2002

DOCUMENT-IDENTIFIER: US 6385644 B1
TITLE: Multi-threaded web based user inbox for report management

Abstract Text (1):
An Internet/Intranet World Wide Web (Web)-based centralized common
interface repository system for event notifications and report
outputs generated by different server applications and/or
application platforms is provided as a message center. Such message
center includes a common graphical user interface to a customer for
viewing and receiving the report outputs and event notifications.
The report outputs and event notifications are communicated in
priority order using multithreading and multiprocessing mechanism
wherein multiple messages may be serviced or received
simultaneously. An Internet/Intranet Web-based information delivery
system infrastructure capable of providing for the secure
initiation, acquisition, and presentation of information from any
customer computer platform having a Web browser is also provided.

Brief Summary Text (17):
The present invention also includes at least one secure server for
managing client sessions over the Internet/Intranet network. The
secure server supports secure socket connections enabling encrypted
communications between the client browser application and the
secure server. At the enterprise side, the application servers
associated with different services typically generate customer
specific data and place the data in the inbox server. The inbox
server stores and maintains the customer specific data. The data
includes report data and notification data received from the
enterprise application servers, and also a metadata description of
the report data. The metadata typically represents report standards
and options for customizing the report standards. The report data
and the metadata associated with the report data may be downloaded
to the client browser application via the secure server for
generation of reports according to the metatdata description. The
reports may then be presented to the customer at the client
workstation. The inbox server also accepts news and information
data other than reports from the various enterprise application
services. The news and additional information may then be retrieved
by the customer via the inbox client application at the client
workstation.

Detailed Description Text (56):
FIG. 6 is a block diagram depicting the physical architecture of
the inbox components and their relationship with other fulfilling
systems of the networkMCI interact. The inbox system comprises an

WEST

☐ | Generate Collection | | Print |

L3: Entry 2 of 4   File: USPT   May 7, 2002

DOCUMENT-IDENTIFIER: US 6385644 B1
TITLE: Multi-threaded web based user inbox for report management

Brief Summary Text (17):
The present invention also includes at least one secure server for
managing client sessions over the Internet/Intranet network. The
secure server supports secure socket connections enabling encrypted
communications between the client browser application and the
secure server. At the enterprise side, the application servers
associated with different services typically generate customer
specific data and place the data in the inbox server. The inbox
server stores and maintains the customer specific data. The data
includes report data and notification data received from the
enterprise application servers, and also a metadata description of
the report data. The metadata typically represents report standards
and options for customizing the report standards. The report data
and the metadata associated with the report data may be downloaded
to the client browser application via the secure server for
generation of reports according to the metatdata description. The
reports may then be presented to the customer at the client
workstation. The inbox server also accepts news and information
data other than reports from the various enterprise application
services. The news and additional information may then be retrieved
by the customer via the inbox client application at the client
workstation.

Detailed Description Text (56):
FIG. 6 is a block diagram depicting the physical architecture of
the inbox components and their relationship with other fulfilling
systems of the networkMCI interact. The inbox system comprises an
inbox client application 300 associated with the client GUI
front-end for interacting with a customer, and a middle-tier inbox
server 302 communicating with various Intranet applications
(fulfilling servers) 304a, 304b. The Web servers and dispatch
servers previously described with respect to FIGS. 2 and 5 have
been omitted from FIG. 6 to simplify the explanation. The inbox
server 302 component serves as the repository where the completed
user report data and event notification data are stored,
maintained, and eventually deleted and is the source of data that
is downloaded to the client user via the dispatcher (FIG. 2) over a
secure socket connection 306.

CLAIMS:

1. A centralized inbox system for providing on-line reporting,

WEST

□ | Generate Collection | Print

L3: Entry 3 of 4   File: USPT   Jan 23, 2001

DOCUMENT-IDENTIFIER: US 6178430 B1
TITLE: Automated information technology standards management system

Detailed Description Text (3):
FIG. 3 displays a schematic representation of the various
components of the automated ITSMS, to be discussed in detail in
following paragraphs. The automated ITSMS comprises a centralized
computer system 301, a corporate intranet 302, a number of users
303, and a network server 304. The centralized computer system
includes a standards dataset stored on nonvolatile storage 305, a
TCP/IP interface 306, and a Job Control Language prep routine ("JCL
prep routine") 307. The network server 304 includes a Download
program 308, an Upload program 309, a Web Server process 310, an
Auto-Notification process 311, a local standards database 312, and
a TCP/IP interface 313. The network server also includes a hyper
text markup language ("HTML") standards document 314 that
corresponds to the standards document stored in the standards
dataset on the centralized computer system, various HTML interface
documents 315, and a conferencing facility 316.

WEST

☐ | Generate Collection | | Print |

L5: Entry 2 of 12   File: USPT   Sep 2, 2003

DOCUMENT-IDENTIFIER: US 6615258 B1
TITLE: Integrated customer interface for web based data management

Brief Summary Text (23):
In the preferred embodiment, the data management products and
services delivered to a client workstation having the integrated
customer interface include: 1) report requester, report viewer, and
report management applications enabling a customer to request,
specify, customize and schedule delivery of reports pertaining to
customer's data; 2) centralized inbox system for providing on-line
reporting, presentation, and notifications to a client workstation
from one or more Intranet application services over an
Internet/Intranet network; 3) an operational data storage system
implementing a data mart approach for maintaining the data used for
customer reporting; 4) a trouble ticket tool enabling a customer to
open and monitor trouble tickets relating to products and services
provided by an enterprise; 5) a Web-based invoice reporting system
allowing the customers access to their billing and invoice reports
associated with services provided to a customer; 6) an Internet
"online" order entry and administration service to enable customers
to manage their accounts; and, 7) a system for handling security
and authentication requests from both client and server side of the
applications implementing the suite of data management products and
services.